

Modern Views.
Clean Edges.



SkyEdge
By SupaLite

SkyEdge

By SupaLite

INTRODUCTION

Easy to install, SkyEdge Rooflight gives homes an extra dose of natural light when installed in flat or low pitch roofing systems. The framed skylights come in a range of different stock sizes to suit any project as well as bespoke sizes up to 3.25m². With options of high performance toughened double or triple glazed options, you can be rest assured performance is not compromised.

All SkyEdge glazing options are Argon Gas filled as standard to ensure excellent thermal insulation. The aluminium thermally broken frame of the rooflight is designed to ensure that condensation on the glass is reduced, as well as being more energy efficient to ensure heat doesn't escape from the home.

The SkyEdge aluminium outer frame comes in a dark grey colour (RAL7016) as standard, with bespoke colour options available*. The framed roof double glazed windows are also BS6375-1 weather tested, which means they are assessed against air permeability, water tightness and resistance to wind load.

SkyEdge is one of the market-leading rooflights available for domestic or commercial applications.



ENERGY EFFICIENT GLASS

A choice of high performance double or triple glazed options, as well as Solar Control surface coatings ensures unrivalled thermal performance achieving as low as 0.5 u-value.



ALUMINIUM FRAME

A modern, sleek powder coated aluminium outer frame ensures a good thermal break frame which creates an insulated barrier, so condensation is reduced and energy efficiency is improved.



SAFETY

Whether you choose double or triple glazed options, SkyEdge Rooflights use panes of 6mm Toughened Safety Glass for each pane, ensuring high strength and durability.



TRIED & TESTED

SkyEdge Rooflights are BS6375-1 weather tested. The glass is professionally manufactured and is BSEN1279 compliant.



QUALITY & SERVICE

Our high quality framed rooflights are made and sent directly from the manufacturer, backed by a 10-year product guarantee, delivered within 7 days (stock lanterns).

Rooflight Options

You can choose a variety of stock SkyEdge Rooflights, or choose a bespoke made to order size up to a maximum of 3.25m². Bespoke SkyEdge Rooflights also have the option to order the Aluminium outer frame in a special colour (RAL) if required.



SkyEdge Stock Rooflights

All stock SkyEdge Rooflights are finished in RAL 7016 Grey

1 Choose your stock size


INTERNAL OPENING SIZES
1000 x 1000mm (ext kerb size 1160 x 1160mm)
1000 x 1500mm (ext kerb size 1160 x 1660mm)
1000 x 2000mm (ext kerb size 1160 x 2160mm)
1000 x 2500mm (ext kerb size 1160 x 2660mm)

2 Choose your glass thickness

GLASS THICKNESS
Double Glazed 
Triple Glazed 

3 Choose your glass type

GLASS TYPE
Clear Low E
Solar Grey
Satin Privacy
Solar Clear



Double Glazed Glass Specifications

Type	Make up	U-Value	Light Transmission	Solar Factor/ G-Value	Colour	Vision	Safety
Clear Low E	6-20-6	1.2	79%	31% / 69%	Clear	Yes	Toughened x2
Solar Grey	6-20-6	1.2	38%	61% / 39%	Grey	Yes	Toughened x2
Satin Privacy	6-20-6	1.2	No data	No data	Opaque	Obscure	Toughened x2
Solar Clear	6-20-6	1.0	69%	63% / 37%	Reflective	Yes	Toughened x2

Triple Glazed Glass Specifications

Type	Make up	U-Value	Light Transmission	Solar Factor/ G-Value	Colour	Vision	Safety
Clear Low E	6-20-6-20-6	0.7	71%	38% / 62%	Clear	Yes	Toughened x3
Solar Grey	6-20-6-20-6	0.7	32%	67% / 33%	Grey	Yes	Toughened x3
Satin Privacy	6-20-6-20-6	0.7	No data	No data	Opaque	Obscure	Toughened x3
Solar Clear	6-20-6-20-6	0.5	61%	66% / 34%	Reflective	Yes	Toughened x3



SupaLite
Transforming Living Spaces

SupaLite Tiled Roof Systems Ltd

180-181 Bradkirk Place | Walton Summit | Preston | PR5 8AJ

01772 82 80 60 | sales@supaliteroof.co.uk | www.supaliteroof.co.uk